

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	10360	(717/124-131; 714/15,25,30-38; 703/21,22,26;718/102,103).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 09:07
L2	5	(@ad<="20011115" or @rlad<="20011115") and 1 and piracy	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 09:08
L3	0	2 and protected and kernel and (breakpoint handler exception)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 09:08
L4	0	2 and protected and kernel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 09:09
L5	0	2 and (exception handler breakpoint)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 09:09
S1	4	(@ad<="20011115" or @rlad<="20011115") and (((kernel and user) adj2 level) same debug\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/19 18:17
S2	4	(@ad<="20011115" or @rlad<="20011115") and (((kernel and user) adj2 level) same debug\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 12:33
S3	7	("5239642" "5452437" "5740413" "5983017" "5996059" "6134652" "6543049").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/19 18:20
S4	1	((encapsulat\$4 hid\$4 embed\$4 inlin\$4) near4 (code near3 (critical section portion block))) near9 (exception adj2 handler)	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/19 18:30
S5	1	(linked adj list) near9 (set near up) near9 (handler breakpoint)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/19 18:31

S6	9	(array list) near9 (set near up) near9 (handler breakpoint)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/19 18:31
S7	2	(@ad<="20011115" or @rlad<="20011115") and S6 and debug\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/19 18:49
S8	14	(trigger inline code trampoline stub routine) near5 ("set up" setup setting initial\$5) near8 (exception adj handler)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/19 18:45
S9	3	(@ad<="20011115" or @rlad<="20011115") and S8 and debug\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 09:07
S10	11	((set\$3 adj up) near2 handler) and debug and ((kernel unprotected protected user) near2 mode) and (exception near handl\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/19 19:19
S11	9	(@ad<="20011115" or @rlad<="20011115") and S10 and (code near (block section partition segment))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 16:14
S12	1	S11 and (debug.clm. or debug.ab.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/19 18:52
S13	0	S11 and (simulat\$4.clm. or simulat\$5.ab.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/19 18:52
S14	3	((protected and unprotected) near mode) and (simulat\$4.clm. or simulat\$5.ab.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/19 18:53
S15	0	(@ad<="20011115" or @rlad<="20011115") and S14 and (code near (block section partition segment))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/19 19:01

S16	3	(@ad<="20011115" or @rlad<="20011115") and S14	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/19 19:00
S17	49	((kernel and user) near2 mode) same debug\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/19 19:43
S18	14	(@ad<="20011115" or @rlad<="20011115") and S17 and (code near (block section partition segment))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/19 19:45
S19	25	(exception handler breakpoint) and ((instrument\$5 near4 (code subroutine inlin\$3 instruction routin\$4)) near8 (install\$2 setup setter (set\$4 adj up)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/19 19:03
S20	4	(@ad<="20011115" or @rlad<="20011115") and S19 and debug\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/19 19:08
S21	36	(exception near handler) near5 (breakpoint or (instrumentation critical watch insertion trigger) near point)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/19 19:08
S22	2432	(@ad<="20011115" or @rlad<="20011115") and "36" and ((kernel protected) near2 (mode level))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/19 19:09
S23	11	(@ad<="20011115" or @rlad<="20011115") and S21 and ((kernel protected) near2 (mode level))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/19 19:09
S24	105	(@ad<="20011115" or @rlad<="20011115") and ((set adj up) near5 point) and ((kernel protected) near2 (mode level))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/19 19:19
S25	0	S19 and S24	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/19 19:10

S26	67	S22 and S24	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/19 19:10
S27	0	S26 and S21	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/19 19:11
S28	0	S23 and S10	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/19 19:11
S29	7	(S2 or S6 or S8 or S10 or S17) and S26	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/19 19:12

S30	78	("3676861" "4294496" "4317180" "4381552" "4403303" "4458307" "4461003" "4506323" "4523295" "4564751" "4626986" "4646307" "4658352" "4674089" "4689761" "4694393" "4698748" "4734851" "4757505" "4763333" "4779195" "4782468" "4787032" "4823292" "4839837" "4860190" "4868832" "4870570" "4907150" "4922450" "4933785" "4945335" "4980836" "4987535" "4991129" "5014193" "5021983" "5027273" "5027294" "5068652" "5077551" "5083266" "5086387" "5129091" "5136694" "5142684" "5155840" "5163153" "5167024" "5175845" "5175853" "5182810" "5189647" "5214762" "5218704" "5230074" "5237692" "5241680" "5254888" "5274645" "5276888" "5276890" "5321840" "5333309" "5339435" "5339446" "5379435" "5381540" "5394527" "5396635" "5432938" "5465367" "5469565" "5517626" "5539876" "5544347" "5546536" "5590298").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/19 19:13
S31	1	S30 and debug\$5.ab.	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/19 19:50
S32	0	S3 and debug and ((kernel unprotected protected user) near2 mode) and (exception near handl\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/19 19:19
S33	42	debug\$3.clm. and ((kernel unprotected protected user) near2 mode) and (exception near handl\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/19 19:22

S34	1	((@ad<="20011115" or @rlad<="20011115") and ((set adj up) near5 point) and S33	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/19 19:23
S35	2171	((set\$3 up) or setter or set\$3) near6 (breakpoint or (instrumentation critical watch) adj2 point)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/19 19:22
S36	687	debug\$3 and ((kernel unprotected protected user) near2 (mode execut\$4 debug operation)) and (exception near handl\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/19 19:28
S37	105	((@ad<="20011115" or @rlad<="20011115") and S35 and S36	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/19 19:38
S38	10	S37 and ((linked list) near3 breakpoint)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/19 19:26
S39	2	S37 and (insert\$5 same (breakpoint point)).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/19 19:26
S40	68	kernel same (set\$4 near4 (breakpoint ((debug exception) near3 register) handler))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/19 19:30
S41	5	S40 and S37	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/19 19:31
S42	2	(inlin\$4 embed\$4) near4 (code instruction routine statement) near5 (set\$3 near3 (handler breakpoint))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/19 19:34
S43	0	(source adj code) near6 insert\$3 near9 (code instruction method) near4 ((set\$2) near3 (breakpoint ((watch interrup\$5) adj point)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/19 19:37

S44	29	((source adj code) near6 insert\$3) and ((code instruction method) near4 ((set\$2) near3 (breakpoint ((watch interrup\$5) adj point))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/19 19:38
S45	27	(@ad<="20011115" or @rlad<="20011115") and S44	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/19 19:38
S46	0	S40 and S45	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/19 19:38
S47	5	S40 and S37	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/19 19:38
S48	0	S29 and debug\$5.ab.	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/19 19:50
S49	40	debug\$5.ab. and ((exception near3 handl\$4) same (breakpoint (set\$5 near5 list)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 12:34
S50	4119	(@ad<="20011115" or @rlad<="20011115") and ((kernel and user) same (test\$4 execut\$4 mode debug\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 12:34
S51	88	(@ad<="20011115" or @rlad<="20011115") and ((kernel and unprotected) same (test\$4 execut\$4 mode debug\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 12:34
S52	834	(@ad<="20011115" or @rlad<="20011115") and ((kernel and protected) same (test\$4 execut\$4 mode debug\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 12:38
S53	16	debug\$5.ab. and (set\$4 near6 handler) and ((kernel user) near8 mode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 15:16

S54	8	debug\$5.ab. and (set\$4 near6 handler) and ((kernel same user))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 12:37
S55	713	(S50 and S52) or (S50 and S51)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 12:37
S56	21	S55 and (debug\$5.ab. or debug\$4.clm.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 15:16
S57	5	((@ad<="20011115" or @rlad<="20011115") and S54	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 15:37
S58	8	("5463764").URPN.	USPAT	OR	ON	2005/11/21 12:39
S59	11	("5889988").URPN.	USPAT	OR	ON	2005/11/21 13:28
S60	2	((program automatical\$5 inline) near4 ((set adj up) insert\$4 initia\$5 introduc\$4)) near9 ((breakpoint exception watch) adj2 point)	USPAT	OR	ON	2005/11/21 13:30
S61	2	S56 and (set\$4 near6 handler) and ((kernel user) near8 mode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 15:36
S62	3	(instrument\$5 same kernel) same (debug\$5 and handler)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 15:37
S63	3	((@ad<="20011115" or @rlad<="20011115") and S62	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 15:37

S64	24	(US-20020073402-\$ or US-20020087883-\$ or US-20020129337-\$ or US-20020131404-\$ or US-20040040013-\$).did. or (US-5450586-\$ or US-5463764-\$ or US-5680584-\$ or US-5774724-\$ or US-5812850-\$ or US-5889988-\$ or US-5963737-\$ or US-6047124-\$ or US-6074427-\$ or US-6158045-\$ or US-6219828-\$ or US-6305010-\$ or US-6378125-\$ or US-6480818-\$ or US-6543049-\$ or US-6708326-\$ or US-6732296-\$ or US-6754851-\$ or US-6895576-\$).did.	US-PGPUB; USPAT	OR	ON	2005/11/22 09:17
S65	4	S64 and (kernel same user) and debug and ((set near up) same (breakpoint watchpoint handler))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 09:18
S66	24	(US-20020073402-\$ or US-20020087883-\$ or US-20020129337-\$ or US-20020131404-\$ or US-20040040013-\$).did. or (US-5450586-\$ or US-5463764-\$ or US-5680584-\$ or US-5774724-\$ or US-5812850-\$ or US-5889988-\$ or US-5963737-\$ or US-6047124-\$ or US-6074427-\$ or US-6158045-\$ or US-6219828-\$ or US-6305010-\$ or US-6378125-\$ or US-6480818-\$ or US-6543049-\$ or US-6708326-\$ or US-6732296-\$ or US-6754851-\$ or US-6895576-\$).did.	US-PGPUB; USPAT	OR	ON	2005/11/23 10:51
S67	13	S66 and (kernel same user)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 10:52
S68	12	(@ad<="20011115" or @rlad<="20011115") and S67 and debug\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 11:07
S69	5	S68 and (insert\$3 (set adj up)) near9 (marker breakpoint watchpoint instrumentation)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 13:23

S70	24	(US-20020073402-\$ or US-20020087883-\$ or US-20020129337-\$ or US-20020131404-\$ or US-20040040013-\$).did. or (US-5450586-\$ or US-5463764-\$ or US-5680584-\$ or US-5774724-\$ or US-5812850-\$ or US-5889988-\$ or US-5963737-\$ or US-6047124-\$ or US-6074427-\$ or US-6158045-\$ or US-6219828-\$ or US-6305010-\$ or US-6378125-\$ or US-6480818-\$ or US-6543049-\$ or US-6708326-\$ or US-6732296-\$ or US-6754851-\$ or US-6895576-\$).did.	US-PGPUB; USPAT	OR	ON	2005/11/23 15:57
S71	3	S70 and (debug adj register)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 16:38
S72	6	((linked adj list) near9 (breakpoint marker)) and debug\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 16:14
S73	6	(@ad<="20011115" or @rlad<="20011115") and S72	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 16:38
S74	2	S73 and ((embedded near system) or kernel)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 16:37
S75	86	(breakpoint watchpoint) near4 (array (link\$3 near list) chain)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 16:38
S76	4	S75 and (debug and kernel)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 16:38
S77	3	(@ad<="20011115" or @rlad<="20011115") and S76	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/23 16:38